



Safety Data Sheet according to 1907/2006/EG, Article 31

Printing Date: 19.06.2015 Revision: 20.11.2014

SECTION 1: Identification of the substance/mixture and of the company /undertaking

1.1 Product identifier

Trade name: Solarliquid VT51 ready to use

• Article number: 80007 / 80008

- 1.2 Relevant identified uses of the substance or mixture and uses advise against
 No further relevant information available.
- Application of the substance / the mixture: antifreeze, transfer liquid for solar systems
- 1.3 Details of the supplier of the safety data sheet
- Manufacturer / Supplier:

AkoTec Produktionsgesellschaft Grundmühlenweg 3 D-16278 Angermünde

Tel.: 03331 29 66 88 Mail: info@akotec.eu

Informing Department:

Sales / Technical Department

Mail: info@akotec.eu

1.4 Emergency information centre:

next poison control center

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008
 The product is not classified according to the CLP regulation.
- 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008: Void

- Hazard pictograms: Void
- Signal word: Void
- Hazard statements: Void
- 2.3 Other hazards
- Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.





Safety Data Sheet according to 1907/2006/EG, Article 31

Printing Date: 19.06.2015 Revision: 20.11.2014

SECTION 3: Composition / information on ingredients

- 3.2 Mixtures
- Description: Aqueous solution of 1,2-propanediol and amine derivatives
- Dangerous components: Void

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- General advice: Instantly remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of symptoms.
- After skin contact:

The product is not skin irritating.

Wash with water.

After eye contact:

Rinse opened eye for 15 minutes under running water.

In case of persistent symptoms consult doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: Use firefighting measures that suit the environment.
- 5.2 Special hazards arising from the substance or mixture

Can be released in case of fire:

carbon monoxide (CO)

carbon dioxide (CO2)

Under certain fire conditions, traces of other toxic gases cannot be excluded.

- 5.3 Advice for firefighters
- Protective equipment: Wear self-contained breathing apparatus. See section 8.
- Additional information

Endangered containers in the surrounding area should be cooled with a water-hose.

Collect contaminated firefighting water separately. It must not enter drains.

Dispose of fire debris and contaminated firefighting water in accordance with official regulations.

Move containers from area of the fire if this can be done without risk.





Safety Data Sheet according to 1907/2006/EG, Article 31

Printing Date: 19.06.2015 Revision: 20.11.2014

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures

Keep people at a distance and stay on the windward side.

Ensure adequate ventilation

Use breathing protection against the effects of fumes/dust/aerosol.

Avoid eye and skin contact.

6.2 Environmental precautions:

Do not allow to enter drainage system, surface or ground water.

Inform respective authorities in case product reaches water or sewage system.

• 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

Send for recovery or disposal in suitable containers.

Contaminated material has to be disposed as waste (see item 13)

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

7.1 Preauctions for safe handling

Schutzmaßnahmen zur sicheren Handhabung

Ensure good ventilation/exhaustion at the workplace.

Do not breathe vapor. Avoid contact with skin, eyes and clothing.

Pay attention to the observance of the occupational limit value and other limit values.

• Information about protection against explosions and fires:

Pay attention to general rules of internal fire prevention.

Keep ignition sources away - Do not smoke.

The product forms flammable fumes when heated.

• 7.2 Conditions for safe storage, including any incompatibilities

- Storage: Keep containers tightly closed. Store in cool, dry conditions.
- Requirements to be met by storerooms and containers:

No special requirements.

Store in cool location.

- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Protect from humidity and keep away from water
- 7.3 Specific end use(s) No further relevant information available





Safety Data Sheet according to 1907/2006/EG, Article 31

Printing Date: 19.06.2015 Revision: 20.11.2014

SECTION 8: Exposure controls / personal protection

- Additional information about design of technical systems: No further data; see item 7.
- 8.1 Control parameters

Components with critical values that require monitoring at the workplace:		
57-55-6 propane-1,2-diol (25-50%)		
WEL	Long-term value: 474* 10** mg/m³, 150* ppm	
	*total vapour and particulates **particulates	

- Additional information: The lists that were valid during the compilation were used as basis.
- 8.2 Exposure controls
- Personal protective equipment
- General protective and hygienic measures

Keep away from food, beverages and fodder.

Do not eat, drink or smoke while working.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

Wash hands during breaks and at the end of the work.

Use skin protection cream for preventive skin protection.

- Breathing equipment: Use breathing protection only when aerosol or mist is formed.
- Protection of hands: Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation. Check protective gloves prior to each use for their proper condition.

Material of gloves:

Butyl rubber, BR

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Change gloves if notice sign of disenchantment.

- Eye protection: Safety glasses recommended during refilling.
- Body protection:

Standard proctective clothing. Chemical resistant safety-shoes or boots. If skin contact is possible, wear inpenetrable protective clothing against this solvent.





Safety Data Sheet according to 1907/2006/EG, Article 31

<u>Printing Date: 19.06.2015</u> Revision: 20.11.2014

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Appearance:

Form: Fluid Colour: Violet

Smell: Product specificOdour threshold: Not determined.

• pH-value at 20 °C:

Change in condition

Melting point/Melting range: Not determined

Boiling point/Boiling range: > 100°C
• Flash point: > 100°C
• Inflammability (colid grossous)

Inflammability (solid, gaseous)
 Not applicable.

Ignition temperature:

Decomposition temperature: Not determined.

Self-inflammability: Product is not selfigniting.

Danger of explosion:
 Product is not potentially explosive

Critical values for explosion:

Lower: 2,6 Vol %

Upper: (higher and lower level of 1,2-propanediol)

Vapour pressure:

 Density at 20 °C
 Relative density

 Vapour density
 Evaporation rate
 Not determined.
 Not determined.
 Not determined.

Solubility in / Miscibility with

Water: Fully miscible

• Partition coefficient (n-octanol/water): Not determined.

• Viscosity:

dynamic: Not determined. **kinematic:** Not determined.

• 9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

- 10.1 Reactivity
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions Reacts with strong oxidizing agents

(Contd. on page 6)





Safety Data Sheet according to 1907/2006/EG, Article 31

Printing Date: 19.06.2015 Revision: 20.11.2014

(Contd. of page 4)

- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: strong oxidizing agents
- 10.6 Hazardous decomposition products: Formation of carbon monoxide and carbon dioxide in case of fire.

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- Acute toxicity:

LD/LC50 values that are relevant for classification:				
57-55-6 propane-1,2-diol				
Oral Dermal	LD50 LD50	> 22000 mg/kg (rat) > 2000 mg/kg (rabbit)		

- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Slight irritant, but not sufficient to trigger an EC label
- Sensitisation: No sensitizing effect known.
- Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information we have to hand.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:				
57-55-6 propane-1,2-diol				
EC 50 / 48 h	18800 mg/l (Mysidopsis bahia)			
IC 50 / 72 h	24200 mg/l (Selenastrum capricornutum)			
LC 50 / 96 h	40613 mg/l (Oncorhynchus mykiss)			

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Weitere ökologische Hinweise:
- Additional ecological information:
- General notes: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- 12.5 Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable...
- 12.6 Other adverse effects No further relevant information available.

AkoTec

Not to be beaten in Quality and Performance



Safety Data Sheet according to 1907/2006/EG, Article 31

Printing Date: 19.06.2015 Revision: 20.11.2014

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- Recommendation

A used product should be recycled or used in other contexts, otherwise be handed over to an appropriate disposal site.

Waste disposal key number:

Since 01/01/99 the waste code numbers have not only been product-related but are also essentially application related. The valid waste code number of the application can be obtained from the European waste catalogue.

- Uncleaned packagings: Disposal must be made according to official regulations.
- Recommendation:

Rented packaging: After optimal emptying, close immediately and return to the supplier without cleaning. Care should be taken that no other materials get into the packaging.

Other containers: After complete emptying and cleaning, send to be reconditioned or recycled.

• Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information

• 14.1 UN-Number

• ADR. IMDG. IATA Void

14.2 UN proper shipping name

• ADR, ADN, IMDG, IATA Void

14.3 Transport hazard class(es)

ADR, IMDG, IATA

• Class Void

14.4 Packing group

• ADR, IMDG, IATA Void

• 14.5 Environmental hazards:

• Marine pollutant: No

14.6 Special precautions for user
 Not applicable.

14.7 Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

• Transport/Additional information: Not dangerous according to the above

specifications.

• UN "Model Regulation":





Safety Data Sheet according to 1907/2006/EG, Article 31

Printing Date: 19.06.2015 Revision: 20.11.2014

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- 15.2 Chemical safety assessment:

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing data specification sheet:

AkoTec Produktionsgesellschaft Grundmühlenweg 3 D-16278 Angermünde

Tel.: 03331 29 66 88 Mail: info@akotec.eu

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage

of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the

International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

CLP: Classification, Labelling and Packaging (Regulation (EC) No. 1272/2008)

GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent